



Product Introduction

Polytetrafluoroethylene modified
polyethylene ultrafine wax powder

Chemical composition

Polytetrafluoroethylene PTFE modified
polyethylene PE

Features and advantages

1. Complies with the EU REACH standard and can come into contact with food;
2. Excellent scratch resistance and good wear resistance;
3. Outstanding hand feel and lubrication effect;
4. High glossiness and good dispersibility;
5. Outstanding hardness.

Recommended use

1. This product is suitable for various coatings, plastics, inks, and cosmetics fields;
2. Especially suitable for coil steel, printed iron, wood paint, including solvent based, UV curing systems, and powder coatings.

Recommended dosage

0.3-5% of the total weight.

Technical data

Melting point (°C):	115
Average particle size (D50):	4-6
Average particle size (D90):	9-11
Specific gravity:	1.07
Appearance:	Fine white powder

Processing guidance

1. Add in the post production stage;
2. Mix and disperse at medium to high speed;
3. Due to the low melting point, grinding should be avoided.

Storage and transportation

1. It should be cool, dry, and ventilated, below 60 °C, and should not be close to the flame;
2. The shelf life in a sealed container is two years.

Packing

Packed in 20 kilograms of paper bags.

We provide these data and technical advice with our existing knowledge. However, because of the different application environment, please users according to the test application, we can not guarantee all the circumstances.

JIANGSU TIANWEN NEW MATERIAL TECHNOLOGY CO.,LTD.
Xinbei District Changzhou Jiangsu
Tel:0519-81884271 Fax:0519-85788271